

The Ataman[®] TCP Remote Logon Services User's Manual

Copyright © 1994-2005, Ataman Software, Inc. All rights reserved.

Copying and use of this document and the accompanying software is governed by the terms of the license specified in the file `license.txt`.

IMPORTANT:
Read the *Security Considerations* section before you install these services.

See [Ordering the ATRLS](#) for ordering information.

1. Overview	5
2. Shareware	5
3. Security Considerations	6
3.1 Potential Interaction Problems	6
3.1.1 Shared drive maps (Windows 2000 only)	6
3.1.2 Random sounding of the system bell	6
3.2 No Clean Process Termination	6
3.3 Other issues	7
4. Requirements	7
5. Installation	7
6. Removal	8
7. Reinstallation	8

[®] Ataman is a registered trademark of Ataman Software, Inc.
All other trademarks herein are trademarks of their respective holders.

8.	Upgrading.....	8
9.	Registration.....	9
9.1	Ordering Registration Code.....	9
9.2	Using the Registration Code	9
9.2.1	Windows 2000/XP/2003 Control Panel	9
9.2.2	Command Line	10
10.	Using the ATRLS.....	11
10.1	Configuring the ATRLS.....	11
10.1.1	Users Page	11
10.1.1.1	User Name	12
10.1.1.2	NT User Name.....	12
10.1.1.3	NT User Domain	12
10.1.1.4	Home Directory	12
10.1.1.5	Interactive Command Processor and Batch Command Processor.....	13
10.1.1.6	NT Password	13
10.1.1.7	Host Equivalence List.....	13
10.1.2	Connections Page	15
10.1.3	Banners Page.....	16
10.1.4	Prompts Page	17
10.1.4.1	Logon Prompt.....	17
10.1.4.2	Password Prompt	17
10.1.4.3	Mode Prompt	18
10.1.4.4	Terminal Type Prompt.....	18
10.1.5	Advanced Page.....	19
10.1.6	Advanced (More) Page.....	20
10.2	Configuring the ATRLS from the Command Line	22
10.3	Advanced Configuration.....	22
10.3.1	Automatic Logon.	22
10.3.1.1	Allowing any user account to logon without further configuration.....	23
10.3.1.2	Allowing direct members of a group to logon without further configuration.	23
10.3.2	8-bit characters need to be sent by faulty telnet client.	24

10.3.3	Suppress cleanup of child processes.....	24
10.3.4	Prompt after the banner after logon to give users a chance to read banners.	24
10.3.5	Move print of “registration” banner until after logon.....	24
10.3.6	Enable Tracing	24
10.3.7	Sending Bells in Advanced Mode	25
10.3.8	Suppress Successful Logon Messages.....	25
10.3.9	Suppress Event Log Messages about Telnet Probes.....	25
10.4	Using the Rlogind and Telnetd Services.....	25
10.4.1	Simple vs. Advanced.....	26
10.4.1.1	Advanced Mode.....	26
10.4.1.2	Simple Mode	26
10.4.2	User Environment.....	27
10.4.3	Sending Special Keys – (Advanced Mode Only).	27
10.4.4	Screen buffer size limits.	30
10.4.5	Manual resize necessary when screen buffer size is changed on the server end.	30
10.5	Using the Rshd and Rexecd Services	30
10.6	Using the Command Line-Based Tools.....	30
11.	Programming Considerations	31
12.	Troubleshooting / Technical Support.....	33
12.1	Where to Begin.....	33
12.1.1	Event Log	33
12.2	Known Problems and FAQ.....	33
12.2.1	Summary of permissions requirements for the ATRLS.....	33
12.2.2	Remote users use CPU time even when they are idle.....	34
12.2.3	Failure loading user environment. (Windows 2000 only).....	34
12.2.4	Access denied when accessing a drive mounted with NET USE. (Windows 2000 only)	34
12.2.5	User does not have permission to logon.	34
12.2.6	Running a text editor or program clears the screen and appears to hang.	35
12.2.7	Use of client-side screen “scroll-back” does not work.....	35
12.2.8	Cannot find the Control Panel for the ATRLS.	35

12.2.9	Process terminated immediately, probable CreateProcessAsUser failure.....	35
12.2.10	With rshd/rexecd program exits immediately with no output.....	36
12.2.11	Rcp of extremely large files fails.	36
12.2.12	Version 3.X/4.X doesn't have the Environment File option.....	36
12.2.13	Error getting name of peer.	36
12.2.14	rshd: (user1/user2@host) Access denied.....	36
12.3	Contacting Ataman Software's Technical Support.....	37
12.4	Ataman's World Wide Web Site.....	37
13.	Ordering the ATRLS.....	38

1. Overview

The Ataman TCP Remote Logon Services (ATRLS) contains server implementations of the Internet TCP telnet, rlogin, rsh, rcp and rexec protocols. These services are distributed as shareware. The ATRLs are not free! However, you may try the ATRLs before paying. If you are not familiar with the shareware concept, see the [Shareware](#) section below.

The telnetd service provides an implementation of the telnet protocol specified in the Internet document, RFC 854. The rlogind service provides an implementation of the rlogin protocol defined in the Internet document, RFC 1282. Both services allow users with an appropriate client program to remotely logon to Windows 2000/XP/2003 systems. Users log on using the same password as used in the normal Windows 2000/XP/2003 user authentication. During a remote logon session, user processes run in the user's security context.

Additionally, if a user's telnet/rlogin client program provides support for ANSI terminal escape sequences, users may run full-screen console apps, such as text editors. Telnet and rlogin clients that use ANSI escape sequences include, but are not limited to, those that emulate the following terminal types: VT100, VT102, VT220, VT320, VT420, xterms, xterm. Color support is provided for telnet/rlogin clients that use ANSI-BBS-style escape sequences.

The ATRLs also contain rexecd and rshd services. These services implement the rexec, rcp and rsh protocols found on many Unix systems. (As in Unix, the rcp functionality is built on top of the rsh protocol.) Also provided is the C programming language source code of an rexec client program suitable for porting to any Unix system that does not have an rexec client. Due to the many possible places and conditions this rexec client program might be used, it is provided **without** technical support. If you have experience in porting code between Unix systems, you may find the provided source code a convenience.

2. Shareware

Ataman markets and distributes the ATRLs using a method known as **shareware**. The shareware method allows you to review and sample a software product prior to purchase for a limited amount of time. After the time limit (called the evaluation period) expires, you must either purchase the software or stop using it.

This product has a 15-day evaluation period. See the file `license.txt` for the full terms of the software license.

Like most shareware vendors, Ataman encourages you to copy and share our software with your friends and associates. Like you, they can decide whether the software meets their needs in a way that justifies its price. However, if the ATRLs are used after the evaluation period, you are expected to buy it. After payment, you are a **registered user** and will receive a **registration code**.

The registration code deactivates all reminder screens and other forms of reminders. Ataman has designed its registration code with an additional feature: You can use the registration code with future minor revisions of the ATRLS; only major revisions will require the purchase of a new registration code.

If you have tried the ATRLS and decided it meets your needs, please see the [Ordering the ATRLS](#) section to purchase the latest version.

3. Security Considerations

This manual assumes that you are familiar with the risks and benefits of the rshd, rexecd, rlogind and telnetd services found on Unix and other operating systems. The secure operation of these services is a complicated matter, and this manual provides only the details specific to this implementation. If you are unfamiliar with the security aspects of these services, Ataman advises you to consult a TCP/IP networking protocols tutorial.

The Ataman TCP Remote Logon Services (ATRLS) allow users to remotely logon within their own security context. However, several security issues remain because Microsoft Windows 2000/XP/2003 is not implemented with full support for remotely logged in users.

3.1 Potential Interaction Problems

3.1.1 Shared drive maps (Windows 2000 only)

The remote users and the local user share the same **drive map**. In other words, the letters assigned to the various local and remote drives are shared between the local and remote users. If one user changes the map with **net use**, **subst**, etc., the other users are immediately (and without warning) affected by that change.

Although users access the files through this map within their own security context, security issues still exist. For example, if the local user runs programs from a remote drive, the remote users may be able to redirect that drive to another location. The local user may unintentionally execute functions that could lead to a security hole known as a “Trojan horse” attack.

3.1.2 Random sounding of the system bell

Remote users may run programs that cause an action to request the system bell to ring. The system bell associated with the main monitor will sound because Windows 2000/XP/2003 does not redirect this function. Locally logged-on users, unaware of remote users running programs, may think they have made a mistake since the bell seems to ring at random.

3.2 No Clean Process Termination

Microsoft provides no **clean** method of killing a process in Windows 2000/XP/2003. There is a kill provided, but that kill does not notify DLLs that are attached to the killed process of the

exit. This potentially leaves dead data inside those DLLs. We do use the kill provided to cleanup logon sessions that are unexpectedly terminated.

If your program uses DLLs and your connection is unexpectedly broken, you may encounter this problem. Unfortunately, Microsoft does not document the conditions where dead data is left inside DLLs. However, in practice, the vast majority of programs do not seem to be affected. Please understand, this problem is a shortcoming of Windows 2000/XP/2003 and **not** a flaw in Ataman's services. Hopefully, Microsoft will become embarrassed about this obvious and serious shortcoming in Windows 2000/XP/2003 and provide a proper mechanism to cleanly terminate processes.

3.3 Other issues

The issues described above are the only security problems identified thus far. However, since the Windows 2000/XP/2003 implementation does not fully support remotely logged-on users, it is likely that new security holes will be discovered. In short, remotely logged-on users using the Ataman telnetd, rlogind or rexecd services should be limited. The security levels of these users should reflect their potential to gain privileged access to the system. The section [Using the Ataman TCP Remote Logon Services](#) section below covers the mechanism used to restrict the users allowed to logon.

4. Requirements

- Windows 2000/2000 Server/XP Home/XP Professional/2003 Server
- Microsoft Winsock Version 2 installed and configured.

5. Installation

Your user account must have Administrators or Domain Admin privilege levels to install the ATRLS. Also, you must install the TCP/IP Protocol into Windows 2000/XP/2003 before the ATRLS can work.

On the system that you wish to install the Ataman TCP Remote Logon Services, create a directory that is **local** to that system. For example:

```
mkdir c:\atrls
```

The directory you create must have its permissions set such that the executable (*.exe) files can be read and executed by the SYSTEM account and all user accounts that will be allowed to remotely logon. All directories in the path to the executables must be searchable by those accounts.

Change your working directory to this new directory. Unzip the archive into this directory.

To install the ATRLS type:

```
atrls install start
```

You should now proceed to the [Using the Ataman TCP Remote Logon Services](#) section in order to authorize users to logon.

6. Removal

Do NOT use the procedures in this section if you are upgrading or moving the software to a different location on the same machine. Instead, follow the information in the [Upgrading](#) or [Reinstallation](#) sections.

Ataman Software is committed to making the use of its software as easy as possible for the end user. Most users prefer software that removes as easily as it installed, thus we provide a procedure to uninstall the software. The uninstall procedure removes the services and all associated registry entries. It does **not** remove the disk files as you may simply be moving the software to a different machine.

If you need to remove the ATRLS from your system, type:

```
atrls stop remove
```

7. Reinstallation

If you want to move the ATRLS to a new location on your machine, stop the ATRLS service:

```
atrls stop
```

Move the files to the new location, then:

```
atrls reinstall start
```

Using this method will preserve all your old configuration settings.

8. Upgrading

You might want to first create backups of your current settings. You can do this using the “dump” option to the `auseradm.exe` and `aconfig.exe` commands. See [Configuring the ATRLS from the Command Line](#) for details.

To upgrade to a new version of the ATRLS, in the directory of the old version type:

```
atrls stop
```

Unzip the new archive into the directory of your choice, then in the new directory type:

```
atrls upgrade start
```

Using this method will preserve all your old configuration settings.

This upgrade method will work for the version 2.X -> 3.X -> 4.X upgrade as well. However, if you were using the version 2.X environment file option, make sure you save your environment file and read the [Version 3.X/4.X doesn't have the Environment File option](#) section.

If you are upgrading to a new major version, you need to install your new registration code. See the [Registration](#) section for details.

9. Registration

9.1 Ordering Registration Code

If, after evaluating the Ataman TCP Remote Logon Services (ATRLS), you find it meets your needs, you need to purchase a license to continue using the product. Please see the [Ordering the ATRLS](#) section to purchase the latest version. Once Ataman Software has processed your order, you will receive a **registration code**. This registration code acts as a key to the software. The code notifies the software that you are a registered user and disables the payment reminders and other reminder features. These reminder features insure that evaluating users do not use the software beyond the evaluation period.

One nice feature of the ATRLS is that future minor revisions of the ATRLS use the same registration code. Only major revisions will require purchase of a new registration code. A major product revision adds significant new features to the product; a minor revision generally contains fixes and minor enhancements.


Registration codes are tied to the name of the registered user and cause the product to list that user as the proper licensee of the product. You should never share your registration code with another user, as your name must appear as the licensee of that copy in order for the registration code to work.

9.2 Using the Registration Code

First, install the ATRLS using the [Installation](#) section above. You may use either the Windows 2000/XP/2003 Control Panel or the command line program to apply your registration code to the ATRLS software.

9.2.1 Windows 2000/XP/2003 Control Panel

Using the Start button, invoke the Windows 2000/XP/2003 Control Panel from the Settings/Control Panel menu. Double click the “Ataman TCP R. L. Services” icon. Then, from the “About” page, click on the “Register...” button and you will see:



Fill in the information from the “Letter of Registration” you received when you purchased a product license. Click the “OK” button. Be sure the “Registration Name” is spelled as shown in the Letter of Registration. The spelling must be exact since the Registration Code is tied to the Registration Name. If a mistake in the spelling of the Registration Name has occurred contact Ataman Software’s Technical Support and a new code will be issued.

Be sure to save your registration information. You will need it anytime you reinstall the software.

9.2.2 Command Line

Alternatively, you can use a command line program to do the registration. This is useful if you want to automate the registration process using .CMD files. In the directory where you installed the ATRLS, you will find a program called `register.exe`.

Retrieve the “Registration Code” and “Registration Name” from the “Letter of Registration” you received when purchasing the product license. The Letter of Registration arrived with your diskette. To use `register.exe`, start a command prompt and issue the following command using the information from the Letter of Registration.

```
register Registration_Code "Registration_Name"
```


The two quotes (") above must be used if the name of the registered user is more than one word. You should replace *Registration_Name* with the name listed beside the “Registration Name:” entry in the registration letter and replace *Registration_Code* with the code listed beside the “Registration Code:” entry. (Typically *Registration_Name* will be either your name or your company’s name.)

10. Using the ATRLS


10.1 Configuring the ATRLS

To configure the ATRLS, invoke the “Ataman TCP R.L. Services” control panel, through the Windows 2000/XP/2003 Start button from the Control Panel item in the Settings menu. The various user and program settings are described below.

10.1.1 Users Page



To add a user, select the “Add User...” button. To edit a user, select the desired user account name, and then press the “Edit User...” button. (Alternatively, you can double-click the user account name you want to edit.) To delete a user, select the user account you want deleted, then press the “Delete User...” button. You will be asked to confirm the operation.

The image shows a Windows-style dialog box titled "Add User". It contains several text input fields: "User Name:", "NT User Name:", "NT User Domain:", "Home Directory(*):", "Interactive Cmd Processor(*):", and "Batch Cmd Processor(*):". Below these fields is a note: "Fields marked with (*) are optional." At the bottom, there is a section titled "Required for Rshd or Rlogind (logon without password) Only" which contains two more fields: "NT Password:" and "Host Equivalence List:". At the very bottom of the dialog are "OK" and "Cancel" buttons.

10.1.1.1 User Name

This is the user account name the remote client programs will use to allow remote users to logon. This name is the name used by the outside world. User names are case-insensitive (i.e. you cannot have both a user named "bill" and another named "Bill").

10.1.1.2 NT User Name

This is the Windows 2000/XP/2003 user account that will execute for this remote user's logon. This can be an account either on the local machine, or in a Windows 2000/XP/2003 domain. This account name is the same name as the "Username" listed in the User Manager program.

10.1.1.3 NT User Domain

This is the domain name associated with the NT User Name above. If the NT User Name is local to the system you are configuring (not a part of a domain), you should place a single period or dot "." in this field.

10.1.1.4 Home Directory

This is the initial working directory given to the commands initiated by this user account. This directory should be local to the system you are configuring. The environment variable HOME will be automatically set to this directory when the user logs on.

10.1.1.5 Interactive Command Processor and Batch Command Processor

By default, the ATRLS pass the command from the rsh client to the `cmd . exe` command processor that comes with Windows 2000/XP/2003. If you have purchased an alternate command processor that you would rather use, enter the command processor's path and any switches in this field. Because the command processor often needs different arguments when used interactively, rather than in "batch" mode, we provide two forms of command processor string. The Interactive Command Processor is invoked by `telnetd` and `rlogind`. The Batch Command Processor is invoked by `rshd` and `rexecd`. When the Batch Command Processor value is used, the environment variable `COMMAND` is set to the command passed in from the remote rsh or rexec client program. In both instances, the value of the Command Processor field is environment expanded.

For example, you could have `rshd` invoke `cmd . exe` by entering:

```
%COMSPEC% /C %COMMAND%
```

When a remote user uses an rsh client program to issue the `dir` command, on most systems the resulting command will be:

```
C:\WINNT\SYSTEM32\CMD.EXE /C DIR
```

In the version 1 of the ATRLS, a script called `REMOTE.CMD` was automatically invoked when a user logged-on. You can achieve the same functionality in later versions by setting these fields as follows:

Interactive Command Processor:

```
%COMSPEC% /K CALL %HOME%\REMOTE.CMD
```

Batch Command Processor:

```
%COMSPEC% /C CALL %HOME%\REMOTE.CMD&%COMMAND%
```

10.1.1.6 NT Password

This value is used only with `rshd` or `rlogind` if the user is allowed to logon without a password. If you do not want the `rshd` or `rlogind` (without password) functionality, **do not set this field**.

This is the password associated with the Windows 2000/XP/2003 user account specified above. This field is necessary because Windows 2000/XP/2003 has no facility that allows a security context change without the presence of a password. (In other words Windows 2000/XP/2003 does not have a capability similar to the Unix `setuid()` system call.) This password must be changed any time the Windows 2000/XP/2003 user account's password is changed.

10.1.1.7 Host Equivalence List

This value is used only with `rshd`, or `rlogind` if the user is allowed to logon without a password. If you do not want the `rshd` or `rlogind` (without password) functionality, **do not set this field**.

This is a comma-separated list of host names or TCP/IP addresses from which this user account name is allowed to execute commands. Limited wildcards are supported. Specifically, names of the form “*.univ.edu” will allow all host names ending in “.univ.edu” execute programs under this user account name. Likewise, an address of the form: 205.238.107.* allows execution from that TCP/IP subnet. The “*” must occur only at the beginning of host names and at the end of TCP/IP addresses. It must be immediately followed/proceeded by a period “.”.

Example:

```
205.238.107.*,ml.some.com,*.xyz.gov,128.110.163.210
```

For best security, use only fully specified TCP/IP addresses. (I.e. don’t use host names and don’t use wildcards.)


Additionally, you can allow a remote account with a different account name access as this user. To do this precede the host entry with “Username@”. If you want all accounts to access as this user from a given host, substitute a “*” for “Username”.

Example:

```
*@205.238.107.*,brian@ataman.com
```


Again, for best security, don’t use wildcards.

10.1.2 Connections Page



This page shows a list of the commands that are actively executing through the ATRLS. The “Refresh” button is used to update the list of active connections. The “Terminate” button causes the programs associated with a logon session to terminate. The “Terminate All” button causes all current logon sessions to terminate.

10.1.3 Banners Page



This page allows you to enter text that will be displayed to telnetd/rlogind users before and after logon.

10.1.4 Prompts Page

The screenshot shows a window titled "Ataman TCP Remote Logon Services" with a tabbed interface. The "Prompts" tab is selected. It contains four sections for configuring prompts:

- Logon Prompt:** Prompt Text: "Account Name:"; Default Response: [empty field] and "Always Ask" (dropdown).
- Password Prompt:** Prompt Text: "Password:"; Default Response: [empty field] and "Always Ask" (dropdown).
- Mode Prompt:** Prompt Text: "Mode:"; Default Response: "Advanced" (dropdown) and "Force Default" (dropdown).
- Terminal Type Prompt:** Prompt Text: "Terminal Type:"; Default Response: "ANSI" (dropdown) and "Automatic" (dropdown).

At the bottom are "OK", "Cancel", and "Apply" buttons.

This page controls the presentation and text of telnetd/rlogind prompts to users.

10.1.4.1 Logon Prompt

When the Default Handling is set to “Always Ask”, the user is prompted for a logon account name with the Prompt Text. If the user responds by only hitting return, the user name listed as the Default Response will be used.

When the Default Handling is set to “Force Default”, the user is not prompted. The user name listed as the Default Response will be used.

10.1.4.2 Password Prompt

When the Default Handling is set to “Always Ask”, the user is prompted for a password with the Prompt Text. If the user responds by just hitting return, the password listed as the Default Response will be used.

When the Default Handling is set to “Force Default”, the user is not prompted. The password listed as the Default Response will be used.

It is very rare that you would want to set the Default Response field for the Password Prompt – in general, this would create a huge security hole. This feature was provided at

the request of customers who need the ability to automatically logon all of their users to a fixed application when connecting to the telnet port.

10.1.4.3 Mode Prompt

For an explanation of modes, see the [Using the Rlogind and Telnetd Services](#) section below.

When the Default Handling is set to “Always Ask”, the user is prompted for the mode with the Prompt Text. If the user responds by just hitting return, the mode listed as the Default Response will be used. The user should choose either Simple or Advanced and hit the return key. (Only a “s” or “a” followed by return has to be typed. Either case can be used.)

When the Default Handling is set to “Force Default”, the user is not prompted. The mode listed as the Default Response will be used.

10.1.4.4 Terminal Type Prompt

The Terminal Type Prompt processing occurs only if a connection uses Advanced Mode.


The ANSI terminal type should be used if your telnet/rlogin client supports the ANSI-BBS set of terminal escape sequences. (ANSI-BBS is the same set of escape sequences used by ANSI.SYS under DOS and also in OS/2. It uses the OEM character set and has limited color support.) Otherwise, the VTXXX terminal type should be used. This terminal type works with most VT100, VT102, VT220, VT320 and VT420 emulations and with the xterm program found on most Unix systems.

When the Default Handling is set to “Always Ask”, the user is prompted for a terminal type. If the user responds by just hitting return, the mode listed as the Default Response will be used. The user should choose either VTXXX or ANSI and hit the return key. (Only a “v” or “a” followed by return has to be typed. Either case can be used.)

When the Default Handling is set to “Automatic”, the terminal type sent by the client program is examined. If the terminal type begins with “ansi”, then the ANSI terminal type is chosen. If the terminal type begins with “vt”, “dec-vt”, or “xterm” then the VTXXX type is chosen. Terminal type comparisons are all case-insensitive. Otherwise, the user will be prompted as in the case of “Always Ask” above. The “Automatic” style of terminal type handling cannot be used if all other prompts have been set to “Force Default”.

When the Default Handling is set to “Force Default”, the user is not prompted. The terminal type listed as the Default Response will be used.

10.1.5 Advanced Page



Most users do not need to use the settings on this page.


For each service in the ATRLS:

- “Service Port” is the TCP/IP port number the service will listen on. To disable a service, set this field to 0 (zero).
- “List of hosts allowed to connect” is a comma-separated list of TCP/IP addresses of the hosts allowed to access the service. The default value is “*” which allows all hosts to access the service. Limited wildcards are supported. Specifically, an address of the form: 205 . 238 . 107 . * allows execution from that TCP/IP subnet. The “*” must occur only at the end of TCP/IP addresses. It must be immediately followed/proceeded by a “.”.

Example:

205 . 238 . 107 . * , 128 . 110 . 163 . 210

10.1.6 Advanced (More) Page



Most users do not need to use the settings on this page.

For each service in the ATRLS:

- “Idle Timeout” is the number of seconds a session is allowed to be idle before being automatically disconnected. To disable the timeout function, set this field to 0 (zero).
- “Disabling TCP KeepAlives” By default, Telnet and other services normally enable a TCP option that polls the remote host occasionally, to make sure that the connection is still available. Normally, this makes possible the cleanup of broken sessions that otherwise would not be detected. For most users this is very desirable. However, in VERY, VERY busy networks or in some radio terminal networks, sometimes this can lead to otherwise good connections being prematurely terminated (normally will happen only in very long running sessions). If you do have such a situation, use this option to disable TCP KeepAlives for all sessions.
- The “Common Winstations” group allows you to increase the number of possible simultaneous connections.

In Windows 2000/XP/2003 security for “GUI objects” (those in User32.DLL and GDI32.DLL) is encapsulated in a securable object called a Window Station. By default, the ATRLS causes the creation of a new Window Station for every connection, giving each logon session its own set of securable GUI objects. While secure, there is a drawback.

The number of available Window Stations is limited. Unfortunately, the actual number of Window Stations available varies from release to release of the operating system (including service packs), so we cannot tell you how many connections you can securely have. Generally speaking, if you need less than 20 simultaneous connections you do not want to ever use any of the options in this group.

If you need more simultaneous connections, you can use the settings discussed below, but there is a security caveat. If your telnet users run programs that access the GUI subsystem [for example the clipboard or any window other than a command prompt (console) window], then these programs will open on a Window Station/Desktop combination that is completely open to manipulation by ALL users. Microsoft uses this approach in their Unix Services for Windows product, so presumably it is not extremely unsafe.

To enable the use of common Window Stations set non-zero values in the “Common WinStations” and “Sessions Per WinStation” fields. Barring Windows-imposed resource limits, the total number of possible simultaneous logon sessions will be: the two numbers multiplied together (i.e. “Common WinStations” * “Sessions Per WinStation”).

Here are some rules that will help you configure the Common Winstations parameters:

1. Insure that you have plenty of virtual memory set in the System Control Panel and also that the disk on which the virtual memory image is placed has plenty of space. (For most purposes 1 gigabyte free is sufficient.)
2. First set “CommonWinStations”:0, “Sessions Per WinStation”:500 and add telnet connections until you run out of resources. The number of connections established gives you an upper limit for the value of “CommonWinStations”.
3. Now set “CommonWinStations”:1, “Sessions Per WinStation”:500 and add telnet connections until you run out of resources. The number of connections established gives you an upper limit for the value of “Sessions Per WinStation”. Choose a value slightly smaller than this upper limit for “Sessions Per WinStation”.
4. Choose a value for “Common WinStations” such that “Common WinStations” multiplied by “Sessions Per WinStation” is greater than or equal to the maximum number of simultaneous connections that you need to support.
5. Windows 2000/2003 Server has less resource limits than client versions of Windows.
6. Other installed software may also use the underlying resources in Windows 2000/XP/2003, so your results are likely to vary.

Using values of “CommonWinStations”:4, “Sessions Per WinStation”:25, we have been able to get 100 simultaneous connections under Windows XP.

Using values of “CommonWinStations”:5, “Sessions Per WinStation”:130, we have been able to get 500 simultaneous connections under Windows 2003 Server (on a lightly loaded file/print/DNS/DHCP server).

If you need even more simultaneous connections, you need to carefully consider one additional step as Windows 2000/XP/2003 tends to run out of other resources. A detailed explanation is beyond the scope of this manual. For more information, please see the following Microsoft Technical Notes: Q142676, Q126962, Q169321, Q184802.

For example, by changing `SharedSection=1024,3072,512` to `SharedSection=1024,3072,1024` you might be able to increase the upper limit for “Sessions Per WinStation”.

To disable the use of common Window Stations, set “Common WinStations” to 0 (zero).

10.2 Configuring the ATRLS from the Command Line

As an complement to configuration via a Control Panel, the ATRLS come with two programs that allow you to configure the service from the command line: AUSERADM.EXE and ACONFIG.EXE. The AUSERADM.EXE program allows the addition, deletion, editing, and listing of user accounts for the ATRLS. The ACONFIG.EXE program configures the remaining parameters that can also be configured from the ATRLS Control Panel.

Both programs have a “dump” command that you can use to automatically generate “.CMD” file that will allow you to easily duplicate configurations on multiple machines. This feature can be a big time saver. Example:

```
auseradm dump >uconfig.cmd
```

Creates a batch command file called uconfig.cmd, containing a series of AUSERADM.EXE command that when executed will duplicate the existing set of users.

To get usage information for either program, execute it with the “help” command (or /?) as in:

```
auseradm help
aconfig /?
```

10.3 Advanced Configuration

10.3.1 Automatic Logon.

It is possible to cause the ATRLS to use one of two forms of automatic logon configuration. We do not recommend the use of these features for most users because:

1. A detailed knowledge of Windows 2000/XP/2003 security is necessary to use the feature securely. In particular, if you do not understand well the relationship between Windows 2000/XP/2003 Local Groups, Global Groups and User Accounts, you should NOT use this feature. If you do not understand well the difference between a user name on the local machine and a user name in the domain, you should NOT use this feature.

2. Users allowed to logon using this feature are not able to use the Rshd service. Nor are they allowed to Rlogin without a password.
3. It is not possible to support user accounts with the same name, even if they are in different domains. The incoming protocols only support short names... it is not possible to properly support fully qualified Windows 2000/XP/2003 user names. If you add users with the same name (directly or indirectly) to the same local group only one will be able to logon. (The choice of which user will appear random.)

Due to the complexity of these features, only limited technical support is available. In particular, we will not help users that do not have the needed understanding of Windows 2000/XP/2003 security, gain this understanding. (It is a complex subject, far too complex to explain during the course of a technical support e-mail exchange.)

The configuration parameters for these features CANNOT be set from the ATRLS Control Panel.

If the issues above do not present a problem for you, chose ONE of the following:

10.3.1.1 Allowing any user account to logon without further configuration.

To enable this feature, issue the following command:

```
aconfig AllowAnyAccountToLogon 1
```

You should also set a home directory for these users as follows:

```
aconfig AutomaticLogonHomeDirectory "PathOfHomeDirectory"
```

Where *PathOfHomeDirectory* is the pathname of the home directory that will be given to all users when they logon via the ATRLS.

10.3.1.2 Allowing direct members of a group to logon without further configuration.

To enable this feature, issue the following command:

```
aconfig AutomaticLogonGroup "LocalGroupName"
```

Where *LocalGroupName* is the name of the Windows 2000/XP/2003 Local Group whose members are allowed to logon without an individual user configuration. Members of the group must be explicitly listed... indirect lookup of members of groups listed in the group is not done.

You should also set a home directory for these users as follows:

```
aconfig AutomaticLogonHomeDirectory "PathOfHomeDirectory"
```

Where *PathOfHomeDirectory* is the pathname of the home directory that will be given to all members of this group when they logon via the ATRLS.

10.3.2 8-bit characters need to be sent by faulty telnet client.

According to the RFC that governs telnet, by default, the telnet data stream is only 7-bits wide. In version 2.0 we corrected our earlier design to strip characters to 7 bits unless binary mode had been negotiated. Unfortunately, there are telnet clients in the world don't support 8-bit mode, nor do they refuse to display 8-bit characters showing up in the data stream... so for some customers it may make sense to put are telnet service into a non-standard mode. (For example, the telnet client that comes with Windows versions prior to Windows 2000 is one such faulty telnet client.) To enable this non-standard mode, use the command:

```
aconfig SuppressCharacterStripping 1
```

10.3.3 Suppress cleanup of child processes.

For most users of the ATRLS, it is desirable to have processes executing at the time of an unexpected failure be killed automatically. However, some users want to use the ATRLS to start "background" tasks. We know of no good way to allow this, but we can suppress the normal process cleanup that occurs at the time of session close. If you enable this features, "background" processes will continue to run, but likewise will any processes running at an unexpected process close. In particular, it is important that you always exit or telnet sessions by issuing the "exit" command to CMD.EXE or the CMD.EXE will continue to execute in the "background". To enable this feature:

```
aconfig DisableChildCleanup 1
```

10.3.4 Prompt after the banner after logon to give users a chance to read banners.

Several users have requested the ability to move the registration message until after a successful logon. To enable this option:

```
aconfig PromptAfterBannerAfterLogon 1
```

10.3.5 Move print of "registration" banner until after logon.

Several users have requested the ability to move the registration message until after a successful logon. To enable this option:

```
aconfig RegistrationBannerAfterLogon 1
```

10.3.6 Enable Tracing

To control debug information from the various services. Set the option TraceLevel to one of the following:

1. Minimal state information.
2. Some protocol details.
3. Most protocol details.

4. Multiple messages per character transmitted. (You probably don't want to use this one.)

To disable the tracing set `TraceLevel` to 0. The debug information is logged to the file: `tracelog.txt` in the directory where you installed the ATRLS.

Example:

```
aconfig TraceLevel 3
```

10.3.7 Sending Bells in Advanced Mode

You can reserve a character in Advanced Mode that will be translated to a bell character. The argument to `BellCharacter` is a decimal number representing the character that will cause a bell character to be sent to the telnet/rlogind client. On the resulting client screen, the `BellCharacter` (in addition to sounding the bell) will appear as a space character. See the [Programming Considerations](#) section for the details of how to use this feature.

In many situations a good character to use is 255 (this is the non-breakable space character used by old word processors... not usually used anymore).

To disable this option, set `BellCharacter` to zero.

Example:

```
aconfig BellCharacter 255
```

10.3.8 Suppress Successful Logon Messages.

Some users do not want a record of successful logons or command executions in the event log.

To enable this option:

```
aconfig SuppressSuccessfulLogonMessages 1
```

10.3.9 Suppress Event Log Messages about Telnet Probes.

Some management packages detect the presence of a telnet server on your system by opening, then immediately closing a connection to the telnet service. This same "probe" is also used by people attempting to break into your system. By default we flag this as an error. Some users want to allow the probes with no generated messages.

To enable this option:

```
aconfig SuppressProbeMessages 1
```

10.4 Using the Rlogind and Telnetd Services

See the "[Prompts Page](#)" subsection of the [Configuring the ATRLS](#) section for an explanation of the various user prompts and associated options.

10.4.1 Simple vs. Advanced

The telnetd and rlogind of the ATRLS work in two modes: simple and advanced.

Advanced Mode is the most powerful, but incurs more overhead for each logon session. Simple Mode is very low overhead and works well with custom software.

10.4.1.1 Advanced Mode

This mode allows you to run full-screen console programs such as text editors. In order to use this feature your client program must support ANSI terminal escape sequences. Most terminal emulation programs use ANSI escape sequences. You may use the Advanced Mode if you run a program emulating a VTXXX terminal or when using the “rlogin” or “telnet” programs from inside the “xterm” program found on most Unix systems.

The full range of DOSKEY-style command line editing is available in Advanced Mode. See the [Sending Special Keys](#) section below for information about how to send keys such as “Home”.

Due to the way Advanced Mode works and since the Win32 API does not provide good facilities for remote logon, the ^S and Pause keys do not suspend output as they do in a local command prompt window. If you are issuing a command that will have more than one screen of output, piping its output to the Windows 2000/XP/2003 “more” command is advisable.

Example:

```
type longfile.txt | more
```

Advanced Mode works by “polling” the contents of a console window screen buffer and sending across any changes since the last “poll”. For this reason, Advanced Mode is somewhat CPU intensive. Also, this mode is rather data intensive because it frequently redraws your screen. The data intensity is normally only a problem for remote users with a slow modem link.

10.4.1.2 Simple Mode

Simple Mode has very low overhead. It allows you to use most console-mode programs that read from standard input and write to standard output.

Limited command line editing is available in Simple Mode:

- | | |
|-----------|------------------------------------|
| <ESC>, ^U | Erase the current line. |
| ^H, ^? | Erase the last character typed. |
| ^C | Interrupt Process (as in CMD.EXE). |
| ^S | Suspend Output (as in CMD.EXE). |
| ^Z | Send End Of File (as in CMD.EXE). |

Simple Mode is well suited for use with custom software. See the [Programming Considerations](#) section for details.

10.4.2 User Environment

When users logon, they will receive their normal user environment and other profile settings

Additionally, the Ataman TCP Remote Logon Services automatically set the following environment variables:

HOME The path name of the ATRLS-defined home directory of the user. If the user's home directory is listed as a local path name, the environment variables HOMEDRIVE and HOMEPATH will also be set as in a normal Windows 2000/XP/2003 logon.

REMOTEADDRESS The IP address of the remote host that made this connection.

TERM When in Simple Mode, the value passed by your client program is put into the **TERM** environment variable. Advanced Mode works best with programs that use the native Win32 Console API instead of terminal escape sequences. For this reason the **TERM** variable is not set in Advanced Mode.

EMULATION Set in Advanced Mode to the terminal type selected at logon.

BELL_CHARACTER Set in Advanced Mode, but only if you have a bell character defined. See [Sending Bells in Advanced Mode](#) for details.

10.4.3 Sending Special Keys – (Advanced Mode Only).

The rlogin and telnet protocols are defined using only the ASCII character set. However, many DOS, OS/2 and Windows 2000/XP/2003 applications expect the availability of keys defined outside the ASCII set. Unfortunately, there is no ANSI specification for special keys. In place of such a standard, the following sequences were adopted. Ataman hopes they are reasonably easy to generate manually and to remember.

Check the documentation that came with your client rlogin or telnet program. Many such programs contain the ability to create keymaps.

Character Sequence Typed Special Character Generated

^A^A ^A

^Aa The next character sent will be sent as an "Alt" character.
Example: to send Alt-F1, type: ^A^a^A1. * This sequence may be combined with the Ctrl and Shift sequences. If you

* Due to the many different ways DOS programs handle special keys, Windows 2000/XP/2003 is not always able to send the Alt, Ctrl, and Shift modifiers in the manner the program expects. Experimentation with an application on files containing non-critical data is the only way we have found to know whether or not these keys can be reliably sent.

need to simulate the press and immediate release of the Alt key, see the sequence ^Az below.

^Az	Simulate the pressing and immediate release of the Alt key. This sequence is needed in many CUA-compliant programs to activate the program's menu bar.
^Ac	The next character sent will be sent as a control character. Example: to send Ctrl-F1, type: ^A^c^A1. * This sequence may be combined with the Alt and Shift sequences.
^As	The next character sent will be sent shifted. Example: to send Shift-F1, type: ^A^s^A1. * This sequence may be combined with the Alt and Ctrl sequences.
^A^R	Causes the screen to be redrawn. For applications that work in line input mode (for example the Command Prompt itself) ^R alone works too.
^Au	Up Arrow
^Ad	Down Arrow
^Al	Left Arrow
^Ar	Right Arrow
^Ai	Insert
^Ax	Delete
^Ah	Home
^Ae	End
^Ap	PageUp (Previous)
^An	PageDown (Next)
^A1	F1
^A2	F2
^A3	F3
^A4	F4
^A5	F5
^A6	F6
^A7	F7
^A8	F8
^A9	F9

^A0	F10
^A-	F11
^A=	F12

For the convenience of users that have VT100/VT102/VT220/VT320/VT420 emulators, we also support the limited subset of keys that the emulators provide. In the table below <CSI> can be <ESC>[or \x9a and <SS3> can be <ESC>O or \x8f.

VT Key	PC Key	ANSI Escape Sequence Expected
<UP ARROW>	<UP ARROW>	<CSI>A
<DOWN ARROW>	<DOWN ARROW>	<CSI>B
<RIGHT ARROW>	<RIGHT ARROW>	<CSI>C
<LEFT ARROW>	<LEFT ARROW>	<CSI>D
<FIND>	<HOME>	<CSI>1~
<INSERT HERE>	<INSERT>	<CSI>2~
<REMOVE>	<DELETE>	<CSI>3~
<SELECT>	<END>	<CSI>4~
<PREVIOUS SCREEN>	<PAGE UP>	<CSI>5~
<NEXT SCREEN>	<PAGE DOWN>	<CSI>6~
<PF1>	<F1>	<SS3>P
<PF2>	<F2>	<SS3>Q
<PF3>	<F3>	<SS3>R
<PF4>	<F4>	<SS3>S
<F5>	<F5>	Not Implemented. On real VTXXX terminals F5 cannot send a sequence, so there is no standard for a corresponding sequence. If you need to send F5, try using ^A5 as in the table above.
<F6>	<F6>	<CSI>17~
<F7>	<F7>	<CSI>18~

<F8>	<F8>	<CSI>19~
<F9>	<F9>	<CSI>20~
<F10>	<F10>	<CSI>21~
<F11>	<F11>	<CSI>23~
<F12>	<F12>	<CSI>24~

Note: Terminal emulators often differ on the definition of VTXXX keys. Therefore, your client program may not match our set. The arrow keys work with nearly all emulators.

10.4.4 Screen buffer size limits.

Due to both the method used to copy the console screen buffer to the remote screen and an internal limit in a Win32 API call used to perform the copy, screen buffer sizes are limited to a maximum of 60 lines and 128 columns. If the Ataman Telnetd Service or the Ataman Rlogind Service is used via slower links (for example over a 14.4K modem), performance will be best when using smaller screen buffer sizes.

10.4.5 Manual resize necessary when screen buffer size is changed on the server end.

The rlogin and telnet protocols do not allow a server to communicate a window size change to a client. Thus, if you run a DOS or OS/2 character mode application (which can automatically cause screen buffer size changes) or use an application that explicitly changes the size of the screen buffer (i.e. the “mode con” command), you must manually resize the client to match the change in the screen buffer size.

If your rlogin or telnet client program implements resizing the client window, it will be passed to the rlogind/telnetd service. The remote screen buffer will be resized to match the client. To check the size of your remote screen buffer use the “mode con” command with no additional arguments.

10.5 Using the Rshd and Rexecd Services

The Rshd and Rexecd services are used by invoking an rsh or rexec client program of your choosing. The discussion in the [User Environment](#) section for the rlogind and telnetd services above applies to the rshd and rexecd services too.

10.6 Using the Command Line-Based Tools

The ATRLS provide 4 command-line-based tools: AWHO.EXE, AKILL.EXE, FG.EXE and REXEC.EXE. You will need to cause your PATH variable to point to the directory where these tools are stored, or else switch to that directory when you run them.

The AWHO.EXE program lists the users currently logged-on to the ATRLS. The “-a” flag provides more detail.

The AKILL.EXE program terminates a logon session. It takes a session id argument. The session id arguments are listed by the AWHO.EXE program. Alternatively, the argument "all" causes all current logon sessions to be terminated.

The FG.EXE program executes a program as it appears on the main user console. The remote user needs to have appropriate access permissions to do this. By default, GUI programs started by a remote user appear on an invisible "Window Station" and cannot be accessed. The FG.EXE program causes a program to use the "Window Station" associated with the main user console. Example:

```
fg start notepad
```

FG.EXE accepts one argument "-w" that causes fg to wait until the started process has exited. The command:

```
fg -w edit
```

will wait until a user at the main console dismisses the "edit" command.

Note: A program started in this manner will exit when your telnet/rlogin session terminates, so with rsh/rexec you MUST use the "-w" flag. If you want to start a persistent session, use the AT.EXE program that comes with Windows 2000/XP/2003. The FG.EXE program can be used with AT.EXE to cause the started program to appear on the main user console. For convenience, you might also check out the SOON.EXE program that comes with the Windows 2000/XP/2003 resource kit. If these really do not meet your needs, see the [Advanced Configuration](#) section above for a way to suppress the normal cleanup of child processes.

The REXEC.EXE program is a client program that works with the rexecd service. The client program is similar to the one provide with Windows 2000/XP/2003 except that it has a -p flag which allows you to specify the password from the command-line. WARNING: Users with debug privileges will be able to see this password information in running programs. Also be careful with the security settings of any files which store this password information. Execute REXEC.EXE with the -? flag for a usage message.

11. Programming Considerations

A substantial number of our clients use the Ataman TCP Remote Logon Services (ATRLS) in conjunction with hand-held radio frequency terminals. These users typically write their own software and need assistance with making their software work with the ATRLs. This section answers most commonly asked questions.

- If you generate your own escape sequences, you want to use Simple Mode. Advanced Mode generates its own escape sequences recreating the contents of the console screen buffer on a remote host. These escape sequences will interfere with escape sequences that you generate.
- It is now possible to send bell characters in Advanced Mode. See [Sending Bells in Advanced Mode](#) for information on how to enable this feature.

The discussion below assumes you have chosen 255 as your bell character. Because of the way that Advanced Mode works (screen scraping), you must generate the bell character in a special manner:

1. The bell character is interpreted only on the top line of the console screen. Thus to use it, you must first position to the top line. This is to prevent repeated beeps caused by line scrolling.
2. You should avoid character scrolling within the top line of the console screen. If you cause the screen locations containing bells to move, the bell characters may be resent.
3. Because Advanced Mode works by screen scraping, it is important that you change a screen location each time you want to sound a bell. The following pseudo-code demonstrates a good way of doing this:

```
static int flip = 0;
MoveCursor(0, 0);
if (flip == 0) then
    print " \xff"; # \xff in hex is 255 decimal
    flip = 1;
else
    print "\xff ";
    flip = 0;
endif
```

The idea is to use two screen locations. Each time a bell is generated, alternating locations are used to print the new bell and to erase the previous bell by overprinting it with a space character.

- Simple Mode works by setting the standard handles to pipes. Some programming environments handle pipes differently from consoles. The most common difference is the tendency to buffer pipes. Please consult the programming environment documentation to discover how to override this buffering, since it will interfere with user interaction. In ANSI C, this is done with the `setvbuf` call.

```
setvbuf(fp, NULL, _IONBF, 0);
```

- Simple Mode is configured from the Prompts Page of the ATRLS Control Panel.
- In Simple Mode, if your program needs to do character-at-a-time input (as opposed to line-at-a-time input), you will need to input using Win32 API calls. **Do not try to use the `getch()` or `kbhit()` routines supplied by your compiler vendor. Those routines are usually not designed to work with pipes.**

The file SAMPLE.CPP contains sample source code of a working program that shows escape sequence output to stdout and character-at-a-time I/O from standard input. This file contains sample _kbhit() and _getch() subroutines using the appropriate Win32 API calls.

12. Troubleshooting / Technical Support

12.1 Where to Begin

12.1.1 Event Log

The ATRLS report error messages to the Application Event Log. This log can be viewed using the Event Viewer application, which is usually launched by double-clicking its icon. The icon is found in the Program Manager group under Administrative Tools. The Application Event Log must have a check mark beside the Log menu entry to be selected.

All ATRLS entries begin with the tag “Ataman”. Most of the error messages are self-explanatory. If an error message requires explanation, please do not hesitate to send electronic mail to technical support (support@ataman.com).

On rare occasion, you may have a service failure. These are logged by the Service Control Manager in the System Log.

If you are having compatibility problems with a client program, it may help to enable tracing. See the [Enable Tracing](#) section for details.

12.2 Known Problems and FAQ

12.2.1 Summary of permissions requirements for the ATRLS.

- CMD.EXE (or other if you have overridden default command processor):
 - Readable by System account.
 - Readable by user accounts used for telnet.
- Home directories of incoming users:
 - Local to machine.
 - Readable by System account.
 - Readable by user.
- Files of the ATRLS:
 - Full Control by System account.
 - Readable by user accounts.
- All paths above must be searchable by telnetting user accounts and the System account.
- The ATRLS service must run under the System account.

12.2.2 Remote users use CPU time even when they are idle.

This issue occurs only when using rlogind or telnetd in Advanced Mode and is not a problem, but an artifact of providing full-screen support. Windows 2000/XP/2003 does not provide inherent remote full-screen support but does provide the ability to read a screen's current contents. Advanced Mode examines the screen periodically to monitor any changes. If the CPU usage by remote users produces a heavy load then consider switching some remote users to Simple Mode.

12.2.3 Failure loading user environment. (Windows 2000 only)

An empty environment variable can cause this. Be sure to check both the user and system sets of environment variables. If you change a system environment variable, remember that you will need to reboot before changes to system environment variables are effective.

12.2.4 Access denied when accessing a drive mounted with `NET USE`. (Windows 2000 only)

Because Windows 2000 was never designed for more than one interactive logged-on user at a time, oddities often occur when accessing remote drives via a drive letter in the shared drive map. Most users seem to have better results when accessing remote drives via the SUBST command. Accessing remote drives via UNC names also seems to work. Many third-party networking products do not support remote users.

12.2.5 User does not have permission to logon.

By default, the Windows 2000/ 2003 Server does not allow normal users to logon. See if this is your problem by using the failing user account to logon to the main console (i.e. logon normally). You can override Microsoft's default by using the User Manager for Domains to give the user account the right "Log on locally" as follows:

- Run the User Manager for Domains program located in the Administrative Tools program group.
- If the server, for which you are setting the rights, is a Primary Domain Controller (PDC) or a Backup Domain Controller (BDC), skip to the next step. Otherwise, it is necessary to tell "User Manager for Domains" that you want to set rights for the server machine, **not** the domain. To do this, select the Select the Domain item in the User menu. In the dialog box where it says "Domain:", type "\\MachineName" where MachineName is the host name of the system, which you wish to edit privileges. When you push the OK button, you can edit the privileges for that system
- Select the User Rights item in the Policies menu.
- Scroll the "Right:" drop-down list until you get to "Log on locally" entry.
- Add those users or groups you wish to allow to logon.
- If your server is not a BDC, you are finished.

- If your server is a BDC, run the Server Manager for Domains program located in the Administrative Tools program group.
- Select the Synchronize with Primary Domain Controller item in the Computer menu.

12.2.6 Running a text editor or program clears the screen and appears to hang.

Probably the program in question is using an Alternate Screen Buffer (a Win32 Console API feature). The ATRLS is unable to read the alternate screen buffer. Common editors with this problem: GNU emacs and some ports of “vi” clones. In both instances, you can find free (but unsupported) ports of similar editors on our web site that do work with our services. (Source code as well as Intel binaries are provided.)

12.2.7 Use of client-side screen “scroll-back” does not work.

This is a side effect of the Advanced Mode. Essentially Advanced Mode takes periodic snapshots of a console screen buffer and sends ANSI escape sequence across the network to duplicate the screen remotely. This is necessary since Windows 2000/XP/2003 only provides this method to intercept console I/O. Unfortunately using this method means that scroll-back buffers in the client programs are not used, since scrolling never occurs.

12.2.8 Cannot find the Control Panel for the ATRLS.

The control panel icon for the ATRLS is a big purple “A”. Our customers report that Windows 2000 occasionally hides this icon. To make the icon reappear, arrange your icons with the property menu or wait a few minutes and start the control panel again. Also, you can try issuing the following command from a Command Prompt window:

```
control atrls.cpl
```

We do not know why this problem occurs, nor have we reproduced it in-house.

12.2.9 Process terminated immediately, probable CreateProcessAsUser failure.

We cannot give you an exact diagnosis of the problem because Windows 2000/XP/2003 does not return an error from the CreateProcessAsUser() API call when the problem occurs. Here are the possibilities that we know of:

1. You are out of some system resources, most commonly, window stations (under Windows 2000 Server you may only have about 25). If you suspect this is the problem, see: [Increase number of simultaneous connections](#).
2. The Windows system file: User32.DLL had an initialization failure, see Microsoft Knowledge Base Article **Q142676** for fix you can make in the Windows registry.

12.2.10 With rshd/rexecd program exits immediately with no output.

Probably it is the same problem as [Process terminated immediately, probable CreateProcessAsUser failure](#).. Because the CreateProcessAsUser() API call does not return an error indication, there is no way for us to warn you that this has occurred.

12.2.11 Rcp of extremely large files fails.

Our rcp server actually does support 63-bits of file size, unfortunately most rcp clients do not support more than 31 bits of file size (2 gigabytes).

There is no real standard for rcp. Should you find a client rcp that claims to support extremely large files but does not work with our rcp server, please let us know!

12.2.12 Version 3.X/4.X doesn't have the Environment File option

Since we now automatically load the user's registry and environment, the functionality is not useful to most users. However if you do find you really do need that functionality, you can achieve it by:

1. Change the environment file to a series of SET commands.
2. Save it as ENVVARS.CMD in the user's home directory (other directories can be used if desired).
3. Configure the user's command processor options as follows:

Interactive Command Processor:

```
%COMSPEC% /K CALL %HOME%\ENNVARS .CMD
```

Batch Command Processor:

```
%COMSPEC% /C CALL HOME%\ENNVARS .CMD&%COMMAND%
```

12.2.13 Error getting name of peer.

Almost always this message is caused by the use of an alternate TCP/IP package that does not properly implement the getpeername system call. Most of the protocols in the ATRLS require the ability to know the incoming TCP/IP port, and security logging is dependent on knowing the incoming address. (These two pieces of information are what getpeername returns). Thus, your TCP/IP package is incompatible with the ATRLS.

12.2.14 rshd: (user1/user2@host) Access denied.

User2 needs user1 @host added to its Host Equivalent List. See [Host Equivalence List](#) for details.

12.3 Contacting Ataman Software's Technical Support

Free technical support is provided exclusively via electronic mail. From the Internet use:
`support@ataman.com`.

IMPORTANT: Our biggest problem in providing technical via electronic mail is receiving invalid return addresses. If your local mailing system does not automatically provide it, please give a standard return address as part of your message. In all cases, please list your telephone number so we can still reach you in the event of electronic mail failure.

Ataman Software takes its technical support by electronic mail very seriously. It should be a very rare event not to respond to your mail within 1 business day. If you have not received a response within this time period, please tell us by calling us at (970) 225-9131.

Contact Information:

`support@ataman.com`
Ataman Software, Inc.
P.O. Box 271130
Fort Collins, CO 80527
(970) 225-9131
FAX: (970) 225-0335

Bug fixes are worked into minor releases that are distributed on our world-wide web site:

`http://www.ataman.com`

You may also obtain the latest version from Ataman Software for a distribution fee. You only need to obtain one copy to upgrade all the copies for which you have a license. Your registration code will work with all minor version releases that have the same major version number as the software you originally licensed.

Only the latest major release version is eligible for full technical support. When a new major version is released, support for the old version will be phased out over a 6-month period.

We reserve the right to charge for technical support for copies purchased 1 year or more earlier.

We reserve right to limit the number of people contacting us for support from site licenses and large volume purchases (> 200 copies). (We expect your internal support to provide first-line technical support to your end users, with your technical support people contacting our technical support people.)

12.4 Ataman's World Wide Web Site

Not sure if you have the latest version? Want to know about useful freebies?

Check out our World-Wide-Web site:

`http://www.ataman.com`

13. Ordering the ATRLS

The latest ordering information can be obtained from our website:

PDF version	http://www.ataman.com/atrls/order_form.pdf
HTML version	http://www.ataman.com/atrls/order_form.htm